

10/052,071

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	71	((draw\$4 near4 graph\$4) or (draw\$4 near2 diagram\$4)) or symbol) and (visual near3 represent\$5) and (object near3 model) and (defin\$3 near2 mode\$2) and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 22:57
L2	0	((draw\$4 near4 graph\$4) or (draw\$4 near2 diagram\$4)) or symbol) and (visual near3 represent\$5) and (object near3 model) and (defin\$3 near2 mode\$2) and 717/104.ccls. and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 22:58
L3	49	((draw\$4 near4 graph\$4) or (draw\$4 near2 diagram\$4)) or symbol) and (visual near3 represent\$5) and (object near3 model) and (defin\$3 near2 mode\$2) and (specification) and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 22:58
L4	43	((draw\$4 near4 graph\$4) or (draw\$4 near2 diagram\$4)) or symbol) and (visual near3 represent\$5) and (object near3 model) and (defin\$3 near2 mode\$2) and (specification) and (map\$4 or match\$3) and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 23:00
L5	44	((draw\$4 near4 graph\$4) or (draw\$4 near2 diagram\$4)) or symbol) and (visual near3 represent\$5) and (object near3 model\$3) and (defin\$3 near2 mode\$2) and (specification) and (map\$4 or match\$3) and (component\$2 or element\$2) and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 23:00

S1	2	"20030098880"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:37
S2	0	((('meta-meta') or ('meta meta') near2 mode\$4) and (object) and (defin\$5 near2 view) and (draw\$3 near3 icon) and (diagram\$5 near3 notation) and 'drag' and 'drop' and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:41
S3	0	((('meta-meta') or ('meta meta') near2 mode\$4) and (object) and (defin\$5 near2 view) and (draw\$3 near3 icon) and 'drag' and 'drop' and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:41
S4	0	((('meta-meta') or ('meta meta') near2 mode\$4) and (object) and (defin\$5 near2 view) and (draw\$3 near3 icon) and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:41
S5	1	((('meta-meta') or ('meta meta') near2 mode\$4) and (object) and (defin\$5 near2 view) and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:43
S6	28	((('meta-meta') or ('meta meta') near2 mode\$4) and (object) and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:15
S7	7	((draw\$4 near4 graph\$4) or (draw\$4 near2 diagram\$4)) and (visual near3 represent\$5) and (object near3 model) and (defin\$3 near2 mode\$2) and (drag near2 drop) and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:12

S8	2	((draw\$4 near4 graph\$4) or (draw\$4 near2 diagram\$4)) and (visual near3 represent\$5) and (object near3 model) and (defin\$3 near2 mode\$2) and (drag near2 drop) and ('graphic user interface' or 'GUI') and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:58
S9	7	((draw\$4 near4 graph\$4) or (draw\$4 near2 diagram\$4)) and (visual near3 represent\$5) and (object near3 model) and (defin\$3 near2 mode\$2) and (drag near2 drop) and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 22:56
S10	5	S9 and specification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:12
S11	6	(meta near3 ((model\$4) near2 system)) and ((object or element) near2 (map\$4 or match\$3)) and specification and (@ad<"20010726" or @prad<"20010726" or @rlad<"20010726"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:17